

Open Medicine Foundation

Linda Tannenbaum, Founder & CEO/President

Accelerating ME
Collaborative ResearchAn OMF Update

June 2019



ME Myalgic Encephalomyelitis

A Major Public Health Crisis
That Most People
Know Nothing About



ME could strike anyone at anytime...

No diagnostic test
No FDA-approved treatments
No cure
YET!



Centers for Disease Control and Prevention (CDC) 2006

"Level of disability for ME/CFS is comparable to MS, AIDS, end-stage renal failure and other well-known very severe medical conditions."

Dr. W. Reeves, Former Chief Viral Diseases



National Academy of Medicine (Institute of Medicine) 2015

"ME/CFS is a serious, chronic, complex and multisystem disease that frequently and dramatically limits the activities of patients and in its severe form can consume the lives of those whom it afflicts."


What Does ME Really Feel Like?

- Debilitating pathological fatigue
- Post-exertional malaise (worsening of symptoms after physical, cognitive or emotional effort, ie "crash")
- Unrefreshing sleep
- Cognitive impairment/brain fog
- Incapacitating migraines & dizziness
- POTS: Orthostatic intolerance
- Widespread pains & chronic infections
- Multi-systemic: Immunological, Gastrointestinal, Urological



Key Facts About ME

- An estimated 20 million suffer worldwide
- 75% of patients are women
- NIH research funding is extremely low
- 25% are home- or bed-bound at some point
- 80–90% are not diagnosed or misdiagnosed
- Only a few medical specialists
- No diagnostic test, no FDA-approved treatment, no cure
- Symptoms typically persist for years; recovery is rare



Coalition of ME Clinicians confer: GET and CBT Harm Patients

"In our expert opinion, it is inappropriate and potentially harmful for medical providers to recommend Graded Exercise Therapy (GET) or Cognitive Behavioural Therapy (CBT) as a treatment as studied in the PACE trial and similar trials. These trials are based on the premise that ME is not a physical illness, and that the illness can be cured by correct attitude and graded aerobic exercise. This view is not supported by the evidence of neurological, immunological, and energy metabolism impairment."





OPEN MEDICINE FOUNDATION

THE GAME CHANGING SOLUTION



THE **OMF** SCIENTIFIC ADVISORY BOARD

2 Nobel Laureates & 5 National Academy of Sciences Members





David Bell





Jonas Bergquist





Mark M. Davis



Øystein Fluge





Maureen Hanson







Robert K. Naviaux



Baldomero Olivera



Daniel Peterson







Leading research. Delivering hope.


Biochemistry **Bioinfomatics Biophysics** Cellular Metabolism Clinical Care Data Analytics Drug Development Exercise Physiology Genetics Immunology Microbiology Neurobiology Public Health Policy Oncology Pediatrics Rheumatology Surgery Zoology







"It is the long history of humankind (and animal kind, too) that those who learned to collaborate and improvise most effectively have prevailed." *Charles Darwin, biologist*



Communication

Grant Applications
Quarterly Reports
Publications



RESEARCH OVERVIEW



STANFORD COLLABORATIVE RESEARCH CENTER

- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME



HARVARD COLLABORATIVE RESEARCH CENTER

- ME Muscle biopsies for multi-omics study
- Repository of controls for ME studies



UPPSALA COLLABORATIVE RESEARCH CENTER

Steroids, Autoantibodies and Proteomics






(Director Ronald W. Davis, PhD)


- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME

> 1000 tests per patient, 20 patients.

Results OPEN and available on our website for registered researchers.











(Director Ronald W. Davis, PhD)

- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME

Searching for a genetic predisposition for ME through patients and their direct families.

Using unaffected family members of patients as controls reduces variance in genetics, environment, and diet.






(Director Ronald W. Davis, PhD)

- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME

Using single-cell RNA sequencing, T-cells have clonally expanded in ME patients.

Infection or an autoimmune disorder?





(Director Ronald W. Davis, PhD)

- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME

Robert Phair, PhD: Studying computer modelling of enzyme kinetics and the results of the SIPs cohort, mutations have been seen in all of the severe patients in the IDO2 gene.

IDO2 synthesizes kynurenine from tryptophan.

The outcome of this is an increased conversion of tryptophan to serotonin and a reduced conversion of tryptophan to kynurenine. Additional patients are currently being examined.






(Director Ronald W. Davis, PhD)


- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME

Nanoneedle

Nanofabricated device that creates an electrical current and measures the impedance of that current by cells.

Changes in the cell will create a change in the current. Under salt stress ME patient cells had a big change of current compared to healthy cells.










(Director Ronald W. Davis, PhD)

- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME



Red are ME cell impedance measures
Blue are Healthy cell impedance measures




(Director Ronald W. Davis, PhD)

- ME Severely Ill Big Data Study
- Extended big data study in families
- T cells and the molecular immunology of ME
- Metabolic trap hypothesis
- Nanoneedle blood-based diagnostic
- Red blood cell deformability in ME

A microfluidic device in collaboration with San Jose State University that measures blood flow & deformability of red blood cells.







OMF-funded HARVARD COLLABORATIVE RESEARCH ACTIVITIES

Massachusetts General Hospital and Harvard Affiliated Hospitals




(Co-Directors: Ronald G. Tompkins, MD, ScD and Wenzhong Xiao, PhD)

- ME Muscle biopsies for multi-omics study
- Repository of controls for ME studies











Understand the multi-omics signature of muscle biopsies from ME patients before, during exercise and during their recovery from mild muscular stress.

Hypothesis is that the inflammation-related recovery mechanisms in ME patients are dysregulated, and that this delays recovery from postmuscular stress.

Will also run experiments to determine whether the metabolic trap is in skeletal muscle. HQPE

OMF-funded HARVARD COLLABORATIVE RESEARCH ACTIVITIES

Massachusetts General Hospital and Harvard Affiliated Hospitals




(Co-Directors: Ronald G. Tompkins, MD, ScD and Wenzhong Xiao, PhD)

- ME Muscle biopsies for multi-omics study
- Repository of controls for ME studies

Patients vs Controls





Creating access to sedentary controls for future research studies.

Muscle and blood samples.

Genomics of human skeletal muscle strongly depends upon the fitness and activity level of the donor.



OMF-funded UPPSALA COLLABORATIVE RESEARCH CENTER

(Director Jonas Bergquist, MD, PhD)

Steroid, Autoantibodies, Proteomics



Steroid hormonal dysregulation. Measuring 22 steroids in the plasma of patients and healthy controls to determine whether steroid hormones are part of the pathophysiology of ME

Autoantibodies. Validating preliminary data in plasma. Not seen in spinal fluid.

Proteomics. Measuring approximately 100 proteins related to pain and neuroinflammation

OMF's PATIENT ENGAGEMENT

- 170 active volunteers worldwide
- Outreach extends to 100+ countries
- Communications translated in 15 languages
- Openly communicate activities and funded research
- Host science and community symposiums
- Interact via email and social media
- OMF ME Worldwide Tour





Leading research.

Delivering hope.

www.omf.ngo

