

Search

[\[ Advanced Search \]](#)

[Foundation](#)

[Linearizations](#)

[Contributions](#)

- ▼ ICD-11
  - ▶ Certain infectious or parasitic diseases
  - ▶ Neoplasms
  - ▶ Diseases of the blood or blood-forming organs
  - ▶ Diseases of the immune system
  - ▶ Endocrine, nutritional or metabolic diseases
  - ▼ **Mental, behavioural or neurodevelopmental disorders**
    - ▶ Neurodevelopmental disorders
    - ▶ Schizophrenia or other primary psychotic disorders
    - ▶ Catatonia
    - ▶ Mood disorders
    - ▶ Anxiety or fear-related disorders
    - ▶ Obsessive-compulsive or related disorders
    - ▶ Disorders specifically associated with stress
    - ▶ Dissociative disorders
    - ▶ Feeding or eating disorders
    - ▶ Elimination disorders
    - ▼ Disorders of bodily distress or bodily experience
      - ▶ **Bodily distress disorder**
        - Body integrity dysphoria
    - ▶ Disorders due to substance use or addictive behaviours
    - ▶ Impulse control disorders
    - ▶ Disruptive behaviour or dissocial disorders
    - ▶ Personality disorders and related traits
    - ▶ Paraphilic disorders
    - ▶ Factitious disorders
    - ▶ Neurocognitive disorders
    - ▶ Mental or behavioural disorders associated with pregnancy, childbirth or the puerperium
    - ▶ Psychological or behavioural factors affecting disorders or diseases classified elsewhere
    - ▶ Secondary mental or behavioural syndromes associated with disorders or diseases classified elsewhere
    - ▶ Disruptive behaviour or dissocial disorders
    - ▶ Personality disorders and related traits

Foundation Id : <http://id.who.int/icd/entity/767044268>

## 6C20 Bodily distress disorder

### All ancestors up to top

- 06 Mental, behavioural or neurodevelopmental disorders
- Disorders of bodily distress or bodily experience
  - 6C20 Bodily distress disorder

### Description

Bodily distress disorder is characterized by the presence of 1 or more symptoms that are recurrent and manifest by repeated contact with health care providers. If a symptom is recurrent, it must be of a nature and progression. Excessive attention is not alleviated or is only partially alleviated and present on most days for at least several months. Typically, the symptoms are pain or fatigue—that is associated with the other fe

### Synonyms

- somatoform disorders
- Somatization disorder
- Somatic symptom disorder
- Briquet's disorder
- polysomatizing disorder
- polysomatizing disorder
- multiple psychosomatic disorder

### Exclusions

- Tourette syndrome (8A05.00)
- Hair pulling disorder (6B25.0)
- Dissociative disorders (6B60-6B6Z)
- hair-plucking (6B25.0)
- Hypochondriasis (6B23)
- Body dysmorphic disorder (6B21)
- Excoriation disorder (6B25.1)
- Gender incongruence (HA60-HA6Z)
- Sexual dysfunctions (HA00-HA0Z)
- Tic disorders (8A05)
- Sexual pain-penetration disorder (HA20)
- Postviral fatigue syndrome (8E49)
- Chronic fatigue syndrome (8E49)
- Benign myalgic encephalomyelitis (8E49)